UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/586,283	11/06/2006	Kassem Ghorayeb	94.0052	3037

48879   7590   03/02/2011
SCHLUMBERGER INFORMATION SOLUTIONS
5599 SAN FELIPE
SUITE 1700
HOUSTON, TX 77056-2722

EXAMINER
ALHIJA, SAIF A

ART UNIT	PAPER NUMBER
2128	

MAIL DATE	DELIVERY MODE
03/02/2011	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE _3_ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on _31 January 2011_.

2a)☐ This action is **FINAL**.   2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) _1-4 and 6-20_ is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) _1-4 and 6-20_ is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on _17 July 2006_ is/are: a)☒ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☒ All   b)☐ Some * c)☐ None of:

      1.☒ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☒ Information Disclosure Statement(s) (PTO/SB/08)
    Paper No(s)/Mail Date _11/23/10 and 1/13/11_.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____ .

5)☐ Notice of Informal Patent Application

6)☐ Other: _____.

DETAILED ACTION

1.   Claims 1-4 and 6-20 have been presented for examination.

Claim 5 has been cancelled.

Information Disclosure Statement

2.   The information disclosure statement (IDS) submitted on 23 November 2010 is in compliance with the provisions of 37 CFR 1.97. Accordingly, the Examiner has considered the IDS as to the merits.

The information disclosure statement filed 13 January 2011 fails to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each cited foreign patent document; each non-patent literature publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. It has been placed in the application file, but the information referred to therein has not been considered. Foreign references 1 thru 4 do not appear to have been submitted. Appropriate correction is required.

Response to Arguments

3.   A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 13 January 2011 has been entered.

PRIOR ART ARGUMENTS

i)   Applicants argue that the references do not disclose coupling multiple simulations with a surface facility. However H recites **"If these reservoirs are to be linked to <u>common surface facilities</u>, they are effectively coupled by global production (and perhaps injection) constraints."**

ii)   Applicants argue that the references do not disclose a common fluid model composed of a superset of pseudo components. It is unclear how these approaches are different and the Examiner requests clarification specifically in view of the recitation of Watts, Column 3 Lines 41-50 whereby the pseudo components comprise dominant components and it would appear that the dominant components would read on the super set recited.

iii)   Applicants argue that the references do not teach synchronization duration and dynamic variation of such. However B recited in Page 431, left column, first paragraph, whereby the staging technique of the reference recites a first iteration level which is processed "far enough" on the grid to begin the second processor iteration This

section further recites the aspect of staging of tasks amongst multiple processors to avoid memory conflicts and

processor out of order issues and further results in load balancing as per bottom left of page 432 which states that the

SST system automatically keeps good load balancing among the processors. This further applies to applicants

arguments regarding different number of non-identical time steps in that there is no explicit mention of a locked

time step value and the staging technique described is dynamic in its implantation of which processes to perform and

how to stage amongst multiple processors for the most efficient timing. This is further seen in the Scott reference

whereby the first full paragraph of Scott on page 3 recites synchronous messages being routed automatically by the

system and further the use of multiple machines as argued above. Further the Examiner notes that the reference

clearly recites the parallel computing with respect to time and Newton iterations as can be seen in page 5 right

column third paragraph which recites "**Another application of parallel computations is in the forming of matrix**

coefficients for composition reservoir simulators. Fully implicit compositional fluid models are highly non-

linear and are often solved through use of a Newton-Raphson method [10,17,18]. Phase equilibrium and fluid

property calculations are repeatedly applied in the updating of matrix coefficients. Since these calculations

are independent for every grid block, this is an ideal application for the divide and conquer method.

Pipelining of the formation of matrix coefficients and matrix solution steps could also be performed." Further

with respect to non-identical time steps the Examiner notes the recitation of synchronization implying non-identical

time steps as well as the asynchronous message routing as recited in page 3 first full paragraph. The Examiner notes

that the Scott reference is clear in its goal of utilizing parallel computing with synchronous and asynchronous

messaging as per the claim language and further that it would have been obvious to utilize these features in parallel

computing in order to describe a faster and increased quality method of simulation of hydrocarbon reservoirs. This

in combination with the recitations of H, W, and specifically B above which reads on the claims recited and

therefore the prior art rejection is **MAINTAINED**.

        iv)   Applicants argue that the parallel computing of Scott is unable to perform the computing recited in

the claims. Although the Examiner agrees that the reference states that parallel computing is in its infancy at the

time of the reference the conclusion clearly states the benefits and uses of parallel computing at that time. Further

the last line of the second paragraph of the conclusion recited by Applicants is directed to the fact that at the time

there were few developed parallel processing techniques but the lines preceding recite that there were parallel

processing techniques at the time of the reference just not as many as would be developed in the future. This

statement does not take away from the recitation and goal of the reference which is to incorporate the benefits of

parallel computing with reservoir simulations, paragraph 3 of the conclusion.

v)   The Examiner respectfully encourages applicants to clarify the controller aspect of the claims.

Specifically is it applicant's intent to have the entire claim directed to a single controller which performs all the steps

of the claims as per claim 2 or the controller represents a distinct sub element of claims 1 and 14 which carries out

certain steps. This feature is newly presented in claims 1 and 14 and further clarification on what the controller

consists of or what type of unit or device it represents would aid in furthering prosecution of the claimed invention.

PRIORITY

4.   Acknowledgment is made of applicant's claim for foreign priority under 35 U.S.C. 119(a)-(d). Priority date
is 23 November 2002.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set

forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth
> in section 102 of this title, if the differences between the subject matter sought to be patented and the prior
> art are such that the subject matter as a whole would have been obvious at the time the invention was made
> to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be
> negatived by the manner in which the invention was made.

The factual inquiries set forth in Graham v. John Deere Co., 383 U.S. 1, 148 USPQ 459 (1966), that are

applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as

follows:

1.   Determining the scope and contents of the prior art.
2.   Ascertaining the differences between the prior art and the claims at issue.
3.   Resolving the level of ordinary skill in the pertinent art.
4.   Considering objective evidence present in the application indicating obviousness or
         nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35
U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time
any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the
obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly
owned at the time a later invention was made in order for the examiner to consider the applicability of 35
U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5.   **Claim(s) 1-4 and 6-20** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Haugen et al.**

"Simulation of Independent Reservoirs Coupled by Global Production and Injection Constraints", hereafter

H in view of **Briens et al. "Application of Sequential Staging of Tasks to Petroleum Reservoir Modeling",**

hereafter B further in view of **Watts U.S. Patent No. 6108608, hereafter W** further in view of **Scott et al.**

"Application of Parallel (MIMD) Computers to Reservoir Simulation", hereafter Scott.

Regarding Claim 1:

            H discloses A computer executable method coupling multiple reservoir and network simulations

comprising:

            initiating a first reservoir simulation for one or more physical parameters of a first reservoir, the first

reservoir simulation using a first fluid model; **(H. "An oil or gas field may comprise a number of isolated**

reservoir units, each of which may have been studied separately with their own simulation models" as well as

"The individual simulation models are still run as separate processes...")

            initiating a second reservoir simulation for the one or more physical parameters of a second reservoir, the

second reservoir simulation using a second fluid model; **(H. "An oil or gas field may comprise a number of**

isolated reservoir units, each of which may have been studied separately with their own simulation models"

as well as "The individual simulation models are still run as separate processes...")

            initiating a network simulation to model a network for coupling the first reservoir and the second reservoir

to a surface facility; **(H. "If these reservoirs are to be linked to <u>common surface facilities</u>, they are effectively**

coupled by global production (and perhaps injection) constraints.")

            varying the duration of the controller time steps in a response to a production rate or an injection rate of the

first reservoir simulation or the second reservoir simulation; **(H. "But they are coupled to a master process which**

handles the global production and injection constraints … at each time step" as well as "The individual

reservoirs may also have their own flow constraints which must be applied at a lower level, hence forming a

hierarchy of production and injection constraints.")

            H does not disclose however B discloses, excluding the first and second reservoir aspect which is

recited in H above, applying the controller time steps via the open message passing interface to the advancement

through time of the first reservoir simulation the second reservoir simulation **(B. Page 431, left column, second to last paragraph, "synchronization of parallel events")**

selecting maximum synchronization intervals to limit controller time steps; **(B. Page 431, left column, first paragraph, whereby the staging technique of the reference recites a first iteration level which is processed "far enough" on the grid to begin the second processor iteration)**

defining network balancing times based on the controller time steps; **(B. Page 431, left column, first paragraph, whereby the stating technique of the reference recites a first iteration level which is processed "far enough" on the grid to begin the second processor iteration. This section further recites the aspect of staging of tasks amongst multiple processors to avoid memory conflicts and processor out of order issues and further results in load balancing as per bottom left of page 432 which states that the SST system automatically keeps good load balancing among the processors)**

initiating network balancing at a corresponding point in each controller time step. **(B. Page 431, left column, first paragraph, the aspect of staging of tasks amongst multiple processors to avoid memory conflicts and processor out of order issues and further results in load balancing as per bottom left of page 432 which states that the SST system automatically keeps good load balancing among the processors. The Examiner notes that the load balancing of the reference happens concurrently while the process is running to prevent conflicts.)**

and the network simulation each controller time step enabling the first reservoir simulation the second reservoir simulation and the network simulation to each take a different number of non-identical time steps to advance to the start of a next controller time step; **(B. Page 431, left column, first paragraph, the aspect of staging of tasks amongst multiple processors to avoid memory conflicts and processor out of order issues and further results in load balancing as per bottom left of page 432 which states that the SST system automatically keeps good load balancing among the processors. The Examiner notes that the load balancing of the reference happens concurrently while the process is running to prevent conflicts and the staging represents non-identical time steps by virtue of its dynamic approach.)**

B does not disclose translating via the open message passing interface each of first hydrocarbon fluid stream of the first reservoir simulation and a second hydrocarbon fluid stream of the second reservoir simulation to a

common fluid model of the controller by converting pseudo components of each of the first hydrocarbon fluid

stream and the second hydrocarbon fluid stream to a super set of pseudocomponents used in the first reservoir

simulation and the second reservoir simulation.

However W discloses, excluding the first and second reservoir aspect which is recited in H above,

translating each of a plurality of hydrocarbon fluid streams to a common fluid model of a controller by converting

pseudo components of each of the plurality of hydrocarbon fluid streams to a super set of pseudocomponents used in

the reservoir and network simulators executing on a computer. **(W. Abstract)**

H, B, and W do not explicitly recite however Scott recites providing an open message-passing interface

that communicates with black oil model reservoir simulations, compositional model reservoir simulations, and

different types of surface network simulations; **(Scott. Figure 3, message passing)**

It would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the

pseudocomponent aspect of multi component fluid flow as discussed in W for the multiple independent

reservoir simulation of H as well as the synchronization and production operation in parallel simulation of B

since first the pseudocomponent aspect of W is "particularly useful in estimating properties and/or behavior

of fluids contained in hydrocarbon-bearing, subterranean formations or in hydrocarbon processing

facilities." (W. Column 1, Lines 13-16) and further the synchronization and production operations of B

through parallel processing result in a substantial decrease in processing time as well as promoting good load

balancing for the simulation. (B. Page 432, Conclusions) It would further have been obvious to utilize the

message passing and synchronization aspects of Scott with the simulation of H, B, and W since Scott describes

a faster and increased quality method of simulation utilizing parallel computing, (Scott Introduction,

Paragraph 1)

Regarding Claim 2:

See rejection of claim 1.

Regarding Claim 3:

The reference discloses The controller of claim 2 additionally comprising means for balancing the coupled multiplatform reservoir simulators including means for apportioning global production and injection rates between simulation tasks of the first reservoir simulation and the second reservoir simulation. **(B. Page 428, top right, production/injection) (H. "But they are coupled to a master process which handles the global production and injection constraints...")**

Regarding Claim 4:

The reference discloses The controller of claim 3 additionally comprising means for balancing the coupled reservoir simulation and the surface network including means for balancing the surface network with the global production and injection rates apportioned between the simulation tasks of the first reservoir simulation and the second reservoir simulation. **(B. Introduction, paragraph 2, flow/material balancing. Page 432, left column, last two paragraphs, load balancing)**

Regarding Claim 6:

The reference discloses The controller of claim 2, wherein the means for initiating the first reservoir simulation initiates a first reservoir simulation that comprises a black oil model and the means for initiating the second reservoir simulation initiates a second reservoir simulation that comprises a compositional model. **(Scott. Page 4, Forming Matrix Coefficients, both black oil and compositional simulators)**

Regarding Claim 7:

The reference discloses The controller of claim 2, further comprising means for coupling additional reservoir simulations in addition to the first reservoir simulation and the second reservoir simulation, wherein the additional reservoir simulations run a mixture of black oil models with different sets of active phases and compositional models with different sets of pseudo-components. **(Phases can be seen in Scott, Abstract, multiphase case using black oil and compositional fluid models and the pseudo component aspect is taught in W and cited above)**

Regarding Claim 8:

The reference discloses The controller of claim 2, wherein the first reservoir simulation and the second reservoir simulation and the network simulation run on different computing platforms as slave tasks to the controller. **(Scott, Abstract, Parallel computers)**

Regarding Claims 9-13:

See rejection of claims 3-4, and 6-8.

Regarding Claims 14-20:

See rejection of claims 1-4, and 6-8.

<u>Conclusion</u>

6.   All Claims are rejected.

7.   Any inquiry concerning this communication or earlier communications from the examiner should be directed to SAIF A. ALHIJA whose telephone number is (571)272-8635. The examiner can normally be reached on M-F, 11:00-7:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kamini Shah can be reached on (571) 272-2279. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300. Informal or draft communication, please label PROPOSED or DRAFT, can be additionally sent to the Examiners fax phone number, (571) 273-8635.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SAA

/Saif A Alhija/
Examiner, Art Unit 2128

February 26, 2011